

Name of Faculty: Rana Manoj Mourya  
& Maneesh Dubey

Designation: Asso.Prof & Asst. Prof.

Department: ME

Subject: EEE (ES-401)

Unit: 5<sup>th</sup>

Topic OZONE LAYER DEPLETION

## **What is Ozone Layer?**

Ozone layer is a deep layer in earth's atmosphere that contain ozone which is a naturally occurring molecule containing three oxygen atoms. These ozone molecules form a gaseous layer in the Earth's upper atmosphere called stratosphere. This lower region of stratosphere containing relatively higher concentration of ozone is called Ozonosphere. The Ozonosphere is found 15-35 km (9 to 22 miles) above the surface of the earth.

The concentration of ozone in the ozone layer is usually under 10 parts per million while the average concentration of ozone in the atmosphere is about 0.3 parts per million. The thickness of the ozone layer differs

as per season and geography. The highest concentrations of ozone occur at altitudes from 26 to 28 km (16 to 17 miles) in the tropics and from 12 to 20 km (7 to 12 miles) towards the poles.

.

The ozone layer has the capability to absorb almost 97-99% of the harmful ultraviolet radiations that sun emit and which can produce long term devastating effects on humans beings as well as plants and animals.

## **Why Ozone Layer is Necessary?**

An essential property of ozone molecule is its ability to block solar radiations of wavelengths less than 290 nanometres from reaching Earth's surface. In this process, it also absorbs ultraviolet radiations that are dangerous for most living beings. UV radiation could injure or kill life on Earth.

Ultraviolet radiation could destroy the organic matter. Plants and plankton cannot thrive, both acts as food for land and sea animals, respectively. For humans, excessive exposure to ultraviolet radiation leads to higher risks of cancer (especially skin cancer) and cataracts. It is calculated that every 1 percent decrease in ozone layer results in a 2-5 percent increase in the occurrence of skin cancer. Other ill-effects of the reduction of protective ozone layer include increase in the incidence of cataracts, sunburns and suppression of the immune system.

## **Causes of Ozone Layer Depletion**

Cause of ozone layer depletion is human activity, specifically, human-made chemicals that contain chlorine or bromine. These chemicals are widely known as ODS (Ozone-Depleting Substances).

Ozone-Depleting Substances have been proven to be eco-friendly, very stable and non-toxic in the atmosphere below. This is why they have gained popularity over the years. Chlorine and bromine are known to deplete the ozone layer at supersonic speeds. They do this by simply stripping off an atom from the ozone molecule. One chlorine molecule has the capability to break down thousands of ozone molecules.

The chief ozone-depleting substances include chlorofluorocarbons (CFCs), carbon tetrachloride, hydrochlorofluorocarbons (HCFCs) and methyl chloroform. Halons, sometimes known as brominated fluorocarbons, also contribute mightily to ozone depletion. However, their application is greatly restricted since they are utilized in specific fire extinguishers.

Scientists in this age are working around the clock to develop Hydrofluorocarbons (HFCs) to take the place of hydrochlorofluorocarbons (HCFCs) and chlorofluorocarbons (CFCs) for use in vehicle air conditioning. Hydrochlorofluorocarbons are powerful greenhouse gases, but they are not able to deplete ozone.

There are two regions in which the ozone layer has depleted.

- In the mid-latitude, for example, over Australia, ozone layer is thinned. This has led to an increase in the UV radiation reaching the earth. It is estimated that about 5-9% thickness of

- the ozone layer has decreased, increasing the risk of humans to over-exposure to UV radiation owing to outdoor lifestyle.
- In atmospheric regions over Antarctica, ozone layer is significantly thinned, especially in spring season. This has led to the formation of what is called 'ozone hole'.

**Natural causes of depletion of ozone layer:** Ozone layer has been found to be affected by certain natural phenomena such as Sun-spots and stratospheric winds. But this has been found to cause not more than 1-2% depletion of the ozone layer and the effects are also thought to be only temporary.

**Man-made causes of depletion of ozone layer:** The main cause for the depletion of ozone is determined as excessive release of chlorine and bromine from man-made compounds such as chlorofluorocarbons (CFCs). CFCs (chlorofluorocarbons), halons,  $\text{CH}_3\text{CCl}_3$  (Methyl chloroform),  $\text{CCl}_4$  (Carbon tetrachloride), HCFCs (hydro-chlorofluorocarbons), hydrobromofluorocarbons and methyl bromide are found to have direct impact on the depletion of the ozone layer. These are categorized as ozone-depleting substances (ODS).

The problem with the Ozone-Depleting Substances (ODS) is that they are not washed back in the form of rain on the earth and in-fact remain in the atmosphere for quite a long time. With so much stability, they are transported into the stratosphere. The emission of ODS account for roughly 90% of total depletion of ozone layer in stratosphere.

The chlorine and bromine free radicals react with ozone molecule and destroy their molecular structure, thus depleting the ozone layer. One chlorine atom can break more than 1, 00,000 molecules of ozone.

Bromine atom is believed to be 40 times more destructive than chlorine molecules.

## **Main Ozone Depleting Substances (ODS)**

### **Chlorofluorocarbons (CFCs)**

It's billed as the most extensively utilized ozone-depleting substance because it attributes to more than 80% of overall ozone depletion. It was utilized as a coolant in home appliances like freezers, refrigerators and air conditioners in both buildings and cars that were manufactured prior to 1995. This substance is usually contained in dry cleaning agents, hospital sterilant, and industrial solvents. The substance is also utilized in foam products like mattresses and cushions and home insulation.

### **Hydrofluorocarbons (HCFCs)**

Hydrofluorocarbons have over the years served in place of Chlorofluorocarbons. They are not as harmful as CFCs to ozone layer.

### **Halons**

It's especially used in selected fire extinguishers in scenarios where the equipment or material could be devastated by water or extinguisher chemicals.

### **Carbon Tetrachloride**

Also used in selected fire extinguishers and solvents.

## **Methyl Chloroform**

Commonly utilized in industries for cold cleaning, vapor degreasing, chemical processing, adhesives and some aerosols.

## **Serious Effects of Ozone Depletion**

### **(1) Damage to human health**

If the ozone layer is depleted, it means humans will be overly exposed to strong UV light. Overexposure to strong UV light causes skin cancer, cataracts, sunburns, weakening of immune system and quick aging.

### **(2) Devastation to environment**

Many crops species are vulnerable to strong UV light and overexposure may well lead to minimal growth, photosynthesis and flowering. Some of the crop species vulnerable to UV light include barley, wheat, corn, oats, rice, broccoli, tomatoes, cauliflower just to name a few. Forests equally bear the brunt of ozone depletion.

### **(3) Threat to marine life**

Certain marine life, especially planktons, is greatly impacted by exposure to strong ultraviolet rays. In the aquatic food chain, planktons appear high up. If planktons decrease in number due to ozone layer destruction, the marine food chain would be disrupted in many ways. Also, overexposure of sun rays could reduce the fortunes of fishers. On top of that, certain species of marine life have been greatly affected by overexposure to ultraviolet radiation at their early stage.

#### **(4) Effect on animals**

In domesticated animals, too much Ultraviolet radiation could also lead to skin and eye cancer.

#### **(5) Impacts certain materials**

Materials like plastics, wood, fabrics, rubber are massively degraded by too much ultraviolet radiation

### **Solutions to Ozone Depletion**

#### **(1) Desist from using pesticides**

Pesticides are great chemicals to rid your farm of pests and weeds, but they contribute enormously to ozone layer depletion. The sure-fire solution to get rid of pests and weeds is to apply natural methods. Just weed your farm manually and use alternative eco-friendly chemicals to alleviate pests.

#### **(2) Discourage driving of private vehicles**

The easiest technique to minimize ozone depletion is to limit the number of vehicles on the road. These vehicles emit a lot of greenhouse gases that eventually form smog, a catalyst in the depletion of ozone layer.

#### **(3) Utilize environmentally friendly cleaning products**

Most household cleaning products are loaded with harsh chemicals that find way to the atmosphere, eventually contributing to degradation of the ozone layer. Use natural and environmentally friendly cleaning products to arrest this situation.

#### **(4) Prohibit the use of harmful nitrous oxide**

The Montreal Protocol formed in 1989 helped a lot in the limitation of Chlorofluorocarbons (CFCs). However, the protocol never covered nitrous oxide, which is a known harmful chemical that can destroy the ozone layer. Nitrous oxide is still in use today. Governments must take action now and outlaw nitrous oxide use to reduce the rate of ozone depletion.